

S.H.A.G.S Annual General Meeting – 10th August 2022 – 7.30pm
Proposed Amendments to the Society Rules

DRAFT CHANGE TO ANNEX 1 : SPECIFICATIONS AND CONDITIONS RELATING TO SHEDS ON PLOTS: FOR CONSIDERATION AND APPROVAL BY THE AGM.

Proposed changes marked in red.

Proposal to change approval for a shed from the committee to be from two site representatives: -

A plot holder may erect a shed to house tools and equipment for use on his/her plot(s), provided that a shed application form, obtainable from the Secretary, has been completed and approval **from the site representation of that site plus a site representative from another site** is obtained from the Society before the shed is erected.

DRAFT CHANGE TO ANNEX 2: SPECIFICATIONS AND CONDITIONS RELATING TO PONDS ON PLOTS: FOR CONSIDERATION AND APPROVAL BY THE AGM.

Proposed changes marked in red.

Proposal to change approval for a pond from the committee to be from two site representatives: -

A plot holder may make a pond on his/her plot(s), provided that **a pond application form, obtainable from the Secretary, has been completed and approval from the site representation of that site plus a site representative from another site is** obtained from the Society before the pond is put in place.

DRAFT CHANGE TO ANNEX 3: SPECIFICATIONS AND CONDITIONS RELATING TO POLY TUNNELS/GREENHOUSES (WITHOUT GLASS – ACRYLIC SHEET ONLY) ON PLOTS: FOR CONSIDERATION AND APPROVAL BY THE AGM.

Proposed changes marked in red.

Proposal to change approval for a pond from the committee to be from two site representatives: -

Further to Rule 10, a plot-holder may erect a poly tunnel or greenhouse (without glass – acrylic sheet only) in excess of 1.8m. in height for use on his/her plot(s), provided that a poly tunnel/greenhouse application form, obtainable from the Secretary, has been completed and approval **from the site representative of that site plus a site representative from another site** is obtained from the Society before the tunnel/greenhouse is erected.

The AGM is invited to approve these updated Rules